

This reminder card contains important safety information that you need to be aware of before and during treatment with Bonviva® (ibandronic acid) (3mg solution for injection) for osteoporosis.

Your doctor has recommended that you receive ibandronic acid, which is used to treat post-menopausal women with osteoporosis. This disease involves thinning and weakening of the bones so they may break more easily.

A side effect called osteonecrosis of the jaw (ONJ) (severe bone damage in the jaw) has been reported very rarely in patients receiving ibandronic acid for osteoporosis. ONJ can also occur after stopping treatment.

It is important to try and prevent ONJ developing as it is a painful condition that can be difficult to treat. In order to reduce the risk of developing ONJ, there are some precautions you should take.

Before starting treatment:

Tell your doctor/nurse (health care professional) if you have any problems with your mouth or teeth, or if you wear dentures.

Your doctor may ask you to undergo a dental examination if you:

- were previously treated with a bisphosphonate
- are taking medicines called corticosteroids (such as prednisolone or dexamethasone)
- are a smoker
- have cancer
- have not had a dental check up for a long time
- have problems with your mouth or teeth

While being treated:

- You should maintain good oral hygiene, brush your teeth regularly and receive routine dental check-ups. If you wear dentures you should make sure these fit properly.
- If you are under dental treatment or will undergo dental surgery (e.g. tooth extractions), inform your doctor and tell your dentist that you are being treated with ibandronic acid.
- Contact your doctor and dentist immediately if you experience any problems with your mouth or teeth such as loose teeth, pain or swelling, or non-healing of sores or discharge, as these could be signs of osteonecrosis of the jaw.

Please read the package leaflet that comes with your medicine for further information.

If you get any side effects, talk to your doctor, pharmacist or nurse. This includes any possible side effects not listed in the package leaflet. Reporting forms and information can be found at www.medicinesauthority.gov.mt/adrportal. Adverse events should also be reported to Atnahs Pharma UK Ltd. Please contact by emailing pvservices@diamondpharmaservices.com or calling + 44 (0)1279 406765. By reporting side effects you can help provide more information on the safety of this medicine.

This educational material is provided by Atnahs Pharma UK Ltd. and mandatory as a condition of the Marketing Authorisation in order to further minimise important selected risks.